



FORENEX

TEL: 886-4-27077318 / FAX: 886-4-27077319

22F.-3, No. 6, Lane 256, Sec. 2, Situn Rd., Situn District, Taichung City 407, Taiwan (R.O.C)

Forenex Technology Ltd.

FHM1215



Model selection

FHM12156XX-X

FHM12156 **P**: PC only

FHM12157 **C**: CVBS + PC

FHM12157 **S**: CVBS + PC+ S_Video

FHM12156/7X **A**: Audio

FHM12156/7XX **B**: Audio+ Light sensor

FHM12156/7XX **L**: Light sensor

FHM12156/7XX **T**: Touch/controller

FHM12156/7XX **K**: Audio +Touch

**FORENEX**

TEL: 886-4-27077318 / FAX: 886-4-27077319

22F.-3, No. 6, Lane 256, Sec. 2, Situn Rd., Situn District, Taichung City 407, Taiwan (R.O.C)

Forenex Technology Ltd.

Specification

Open frame Item No.	FHM1215
LCD Type	12.1" TFT Active Matrix Panel
Display Area	246.0(w) × 184.5(h)mm
Pixel Pitch	0.3075(H) × 0.3075(V)
Brightness	200cd/m ²
Contrast Ratio	500:1
Response Time	10ms(ON) 25ms(OFF)
Viewing Angle	L:70 R:70 U:60 D:50
Display Colors	262K colors
Resolution	800(×3) × 600
Backlight	CCFL × 2
Interface W4	DVI-D(female) , DSUB15-female RCA X 2, S-Video X 1, RS232 X 1 (Option), Stereo (Option)
Power Adapter	DC 12V /800mA
Power consumption	9.6W
Temperature	Operation :-10°C ~ 65°C Storage: -30°C ~ 70°C
Dimension	283.6(W) × 223.6(H) × 30.2(D)